

1-100.02 Quarter-Turn with Square Threaded Rod



Advantages

- Flush Quarter-Turn for cutout Pr.20.1.
- Square threaded rod 40mm.
- Adjustability of the cam by the catch for standard cams 2-151.02 and 3-point cam with knurled wheel 2-151.01.
- RH / LH application.
- IP65 according to DIN EN 60529. (included in the scope of delivery).
- Grounding by grounding clip or grounding nut (optional).
- Please configure the Quarter-Turn with a cam.
- Pre-assembled **without** cam.

Materials

- **Housing and insert:** zinc die, chrome plated
- **Nut:** steel, zinc plated
- **Grounding nut:** zinc die, zinc plated
- **Grounding clip:** stainless steel

Remarks

- (S) Door-thickness max. 8mm
1. 2-151.02
 2. 2-151.01
 3. Cam



Quarter-Turn with insert

	Part Number	Insert	Grounding type	Installation type
a)	100-9801.00-11940	Square 7mm		screw-on
b)	100-9801.00-12040	Square 8mm		screw-on
c)	100-9801.00-12140	Triangular 7mm		screw-on
d)	100-9801.00-12240	Triangular 8mm		screw-on
e)	100-9801.00-12340	Double bit 3mm pin		screw-on
f)	100-9801.00-12440	Double bit 5mm pin		screw-on
g)	100-9801.00-12540	Hex. SW 11		screw-on
a)	100-9802.00-11940	Square 7mm	Grounding nut	screw-on
b)	100-9802.00-12040	Square 8mm	Grounding nut	screw-on
c)	100-9802.00-12140	Triangular 7mm	Grounding nut	screw-on
d)	100-9802.00-12240	Triangular 8mm	Grounding nut	screw-on
e)	100-9802.00-12340	Double bit 3mm pin	Grounding nut	screw-on
f)	100-9802.00-12440	Double bit 5mm pin	Grounding nut	screw-on
g)	100-9802.00-12540	Hex. SW 11	Grounding nut	screw-on
a)	100-9803.00-11940	Square 7mm	Grounding clip	screw-on
b)	100-9803.00-12040	Square 8mm	Grounding clip	screw-on
c)	100-9803.00-12140	Triangular 7mm	Grounding clip	screw-on
d)	100-9803.00-12240	Triangular 8mm	Grounding clip	screw-on
e)	100-9803.00-12340	Double bit 3mm pin	Grounding clip	screw-on
f)	100-9803.00-12440	Double bit 5mm pin	Grounding clip	screw-on
g)	100-9803.00-12540	Hex. SW 11	Grounding clip	screw-on



Accessories

- 1-191 **Height-adjustable Rod Guide RS**
- 1-170 **Round Rods with Eye**
- 1-180 **Round Rods for Adapter**
- 6-100 **Keys**
- 1-102 **Cams L35/45 Steel**
- 2-151.01 **3-Point Adapter with knurled wheel adjustment**
- 2-151.02 **Catch with knurled wheel adjustment**
- 6-101 **Universal Key**

